

# THEME 12: AIDS



# NOTE TO READER

- ◆ These are not medical advices but guidelines based on naturopathy and orthomolecular nutrition and bioresonance.
- ◆ Please consult your physician for medical advice.
- ◆ I would also inform you that the advices given do not necessarily imply that official practice agrees with them.
- ◆ The testings and measurements done are not clinical analysis nor medical tests and don't have to coincide with them; they are simply based on the biobioresonance and in the research of Hulda Clark.
- ◆ Our results are based on testing with the syncrometer. Our goal is to help the patients on their path to health. For that reason we also test products and provide conclusions legally not relevant about their quality.
- ◆ Using the methods recognized by the authorities, only a laboratory can deliver results in this way.
- ◆ According to the researches of Hulda Clark the syncrometer can detect traces of pollution, which means that quantities can be too small to be detected in a laboratory.
- ◆ The syncrometer does not offer quantitative results about the substances contained in the product. This can only be obtained in a laboratory.
- ◆ The testing of saliva or people does not establish a medical diagnosis. It can be called bioenergetic testing. This measurement system is not related with western orthodox medicine and, therefore, according with that medicine, doesn't have relevance nor recognition.

# AIDS AND HIV

- HIV is a virus
- AIDS is a state of the body
- Certain larval parasites (Macracanthorhynchus and / or Fasciolopsis Buski) are established in the thymus

They can be given at the same time or separately

+


benzene



HIV or AIDS

# AIDS AND HIV

- 💧 AIDS reflects a problem in white blood cells (WBC's)



# AIDS AND HIV

- 💧 White blood cells also secrete substances to kill large parasites.
- 💧 These substances are: benzoquinone (BQ), estrazonic acid (RZ), glycoxal, glycoxylic acid, hydroxybutyric acid, etc.

BUT IN PATIENTS WITH AIDS THIS IS NOT HAPPENING

# AIDS AND HIV

- White blood cells
  - Phagocytes do not eat bacteria, garbage nor toxins
  - Lymphocytes can not kill HIV or influenza virus, SV40 or fungi (such as Potato Ring Rot)
- Phagocytes do not work because of 5 toxins:
- Lymphocytes do not kill viruses because they are full of mercury and thallium.
- CD4 is dying for a dye.
- CD8 is multiplied by a dye.
- At first this only happens in a few organs to end up affecting all the organs.

# AIDS AND HIV

- ◆ The thymus is the home of T lymphocytes
- ◆ Usually we have about 5,000 white blood cells (WBC's) per cubic mm.
- ◆ About 70% are neutrophils
- ◆ Approximately 10% are macrophages
- ◆ 20% (approximately 1,000) are lymphocytes. Of these approximately 900 go to the thymus to be "trained" and are T lymphocytes; The remaining 100 remain in the bone marrow and are B lymphocytes? Of the 900 T lymphocytes, 600 will be T4 (CD4) and 300 T8 (or CD8 suppressors)

# AIDS AND HIV

- ◆ In an AIDS patient there are more and more CD8 and less CD4 due to two causes:
  1. No cells are created → By AZO dyes in bone marrow
  2. More CD4 dies in thymus → By Fasciolopsis Buski in thymus.



These bring bacillus cereus to the thymus, which produce a toxin: Tyramine



# AIDS AND HIV

Tyramine returns to the thymus allergic to everything and this compromises a part of the immune system, which is Complement C3



Later they arrive at the thymus:  
macracantiocephalus (with prions)  
Eurytrema (SV40)  
Paragomimus

# AIDS AND HIV

## THE MAIN GUILTY OF AIDS IS THE BENZEN

- ◆ This accumulates in thymus and bone marrow (like wood alcohol, accumulates in pancreas and eyes).
- ◆ By benzene intoxication (in addition to asbestos, PCBs and lanthamides), phagocytes can not work in thymus or bone marrow and mercury, copper, silicon and dye accumulate.
- ◆ This causes that each time there are fewer phagocytes and new T cells being born while decreasing the capacity of existing ones.

# AIDS AND HIV

- With our immune system committed viruses and bacteria (influenza, mumps, measles, EBV, CMV, treponema, herpes, mycoplasma, etc.) that we have all accumulated but will remain inactive, now "explode".

# AIDS AND HIV

- ◆ In AIDS patients the different symptoms depend on each person because there are several "master" parasites that can bring different symptoms (also depending on whether they are adult or larval).
- ◆ The fungus Potato Ring Rot (from the parasite *paragónimus*) is devoured in these patients by the phagocytes, but is still alive and producing the mycotoxin Zearalenone that will be detoxified in the form of benzene.

# AIDS AND HIV

- ◆ Benzene comes from external (cafes, cosmetics, etc.) and internal (from Zearalenone)
- ◆ This benzene is the activator of HIV (that comes from the fasciolopsis buski) and that will penetrate in our chromosomes by means of the enzyme "integrase".

# AIDS AND HIV

- ◆ The benzene upon detoxification passes to Phenol which is a tissue destroyer.
- ◆ Until a few years ago the endogenous benzene was easily detoxifiable by us but the great exogenous toxicity of benzene brought us AIDS.
- ◆ Fundamental in patient with AIDS
  - Kill parasites regularly
  - Avoid benzene from external sources and help detoxify it

# AIDS AND HIV

- ◆ Certain key substances for the immune system are not manufactured in the AIDS patient:
  - Benzoquinone and rhodizonic acid: they are being reduced by ascaris, when it should kill them
  - Glycoxal: devastated by the eurytrema
  - Glycoxylic acid: destroyed by the strongyloide
  - L-G (lysine-aspartate): washed away by heavy metals such as mercury or thallium.
  - L-A (lysine-glutamate): destroyed by heavy metals such as oxidized selenium and germanium, chromium, nickel, copper, cobalt and vanadium.
  - Betaglucano: For PCB's
  - Interleukine 12: For the Holmium
  - Interleukin 2: Loss of L-G
  - Interferon: By the presence of RAS

# AIDS AND HIV

Fundamental parts of the treatment:

- ◆ kill parasites
- ◆ Eliminate immunosuppressants: benzene, asbestos, metals, PCB's and AZO dyes (Fast Garnet kills CD4) and Fast Green lifts CD8)



# AIDS AND HIV

Why do medicines used by the official medicine lower the viral load of HIV?

◆ Because they kill the Paragónimus parasite specifically (they do not kill fasciolopsis, fasciola, macra or eurytrema).

◆ But without Paragónimus there is little fungal growth, there is no Potato Ring Rot, so there is no Zearalenone and no benzene forms in the body that is the detonator of HIV, so it can even negativize HIV. But we must take into account exogenous benzene that is not detoxifying, PCBs, asbestos, Azo dyes and heavy metals. We must learn to detoxify them and kill the rest of the parasites !!!

In AIDS patients we also find ascaris and other worms in the thymus, lower bone marrow, brain and liver, so we must also eliminate them.

# AIDS AND HIV

## Clark Method for AIDS Patients

- ◆ Deworming and deworming of ascaris.
- ◆ Zapper and plates of zappeo (by presence of PCB's in organs, that do not let pass the frequency of the general zapper)
- ◆ Homeopathic
- ◆ Deprivation of food to fasciolopsis.
- ◆ Lugol or walnut tincture (1 teaspoon + hot water)

↓  
(Hold ½ hour if you  
can, but 1 minute is  
effective too)

↘ (½ teaspoon + hot water)

# AIDS AND HIV

- ◆ To lower the HIV (or viral load) count: remove benzene and kill fasciolopsis buski and paragonimus.
- ◆ To top up CD4 count: Remove Fast Garnet from them.
- ◆ To regulate CD8: Remove Fast Green from them
- ◆ To re-phagocyte: Remove immuno-suppressors (heavy metals, asbestos, PCB's, benzene and AZO dyes).

# AIDS AND HIV

Very important to eliminating benzene! And its subsequent phases of detox.

- ♦ Elimination of benzene (Phase 1): Vit. B2 - 600mg in each meal (which also detoxifies dyes such as Fast Garnet and Fast Green, although Coenzyme Q10 is faster for them)
- ♦ To eliminate phenol (Phase 2): Magnesium and glucuronic acid (in the Kounbucha)
- ♦ To remove formaldehyde (Phase 3): Taurine
- ♦ Formic Acid (Phase 4): Bicarbonate

Glutathione, cysteine, thiotetic acid and inositol are of great help in all phases.

# AIDS AND HIV

## Elimination of PCBs

- ◆ Ozonized olive oil (in empty capsule), equivalent to 1 tbsp. This goes to the accumulations of PCB's and takes them to the kidneys to be excreted. It also destroys viruses inside cells and chromosomes
- ◆ Coriander essential oil (1 drop 3 times a day)

# AIDS AND HIV

## Removal of AZO Dyes

- ◆ It is essential not to eat fish or chicken!
- ◆ Vitamin B2
- ◆ Coenzyme Q10 (400mg): 10 capsules on an empty stomach for 5 days and then 1 daily.
- ◆ Germanium (hydrangea)
- ◆ Selenium
- ◆ Vitamin C
- ◆ Homeografías to take of CD4 and CD8

# AIDS AND HIV

Steps to follow in patients with AIDS

1. Extract metals from the mouth. After a few days use the zappicador on each piece where it has been removed to remove residual metals and to harden porosities of the plastic parts (to avoid continuous toxicity).
2. Use bio products in food, cosmetics and hygiene.
3. Remove sources of benzene.
4. Drink and cook with water from distiller or reverse osmosis.
5. Eviatar dairy, polo and fish.

# AIDS AND HIV

6. Avoid foods with floridcine, chlorogenic acid, apiol, and gallic acid.
7. Add 15 drops of HCL (5%) to the meal and eat with plastic cutlery.
8. 5 minutes before each meal:
  - ◆ 1 capsule of iron (10mg)
  - ◆ 2 capsules B2 (of 300)
  - ◆ 2 capsules of magnesium oxide (300)
  - ◆ We will take another shot in a small snack of 4 capsules of Vitamin B2.
9. 10 capsules of Q10 (400) before breakfast.
10. Start zapper and zappeo dishes about 8 hours a day.



# AIDS AND HIV

11. Take walnut dye (2 tablespoons) + 7 wormwood capsules + 7 clove capsules
12. Pau d'arco: 2 casings 2 times a day, between meals.
13. Take homeographic drops
14. Selenium: 5 capsules x 3 times a day
15. Hortensia: 2 capsules x 3 times a day
16. Hedgehog: 1 capsule x 3 times a day
17. Vitamin C: 2 capsules x 3 times a day

# AIDS AND HIV

- 18. Lugol: 6 drops after each meal and before bedtime.
- 19. Complete ascaris protocol with cysteine (3 capsules 500mg twice daily)
- 20. 15 capsules of digestive enzymes 2 times a day between meals to digest dead parasites.
- 21. Ozonized olive oil (1 tablespoon 2 times a day) to remove PCB's and remove ascaris eggs.
- 22. Glutathione (500mg) 2 capsules x3 times a day to help the lungs and their reducing effect.

# AIDS AND HIV

- 23. Betaine - HCL (300mg) 3 breakfast, lunch and dinner (to kill chloridium in the intestine.
- 24. Vitamin A: 10,000 units daily.
- 25. Zinc (30mg): 1 capsule with 1 meal.
- 26. Lugol enema, alternating with walnut tincture.
- 27. Pepsin 1 in each meal + tea of birch bark 3 times a day, to eliminate prions.
- 28. Glucuronic acid 2 times a day.
- 29. Thiocctic acid (250mg) 3 times a day and taurine (500mg) 3 times a day.

# AIDS AND HIV

## ZAPPING

- Regular Zapper 20-30 minutes several times a day
- Platess:
  - Set vascular
  - Médula ósea
  - Timo+ Set vascular / médula osea  
Set vascular / timo
- + If there is organ with specific problem: set vascular / organ
- + Genital organs 1x1
  - Male: left testicle, right testicle, vas deferens, penis, prostate, epididymis, sperm
  - Female: left ovary, right ovary, fimbria, fallopian tube, uterus, cervix, vagina.

# AIDS AND HIV

**HOMEOPATHIES** (6 drops 6 times a day with 1 min minimum separation)

- ◆ Pineal
- ◆ Hypothalamus
- ◆ Pituitary
- ◆ Spinal brain fluid
- ◆ bleeds
- ◆ Lymph
- ◆ Group L
- ◆ Timo
- ◆ Bone marrow

- ◆ BQ
  - ◆ RZ
  - ◆ G
  - ◆ GA
- Although they can also be made of organs to increase the production of these substances example: BQ / thymus

# ADDITIONAL INFORMATION

## BOOK OF INTEREST

For any questions about  
Clark Therapy, contact  
us in:

[info@clarktherapyon-line.com](mailto:info@clarktherapyon-line.com)

