

PATHOLOGIES OF THE GENITOURINARY SYSTEM

MALE INFERTILITY (Continued)

ZAPPER (important)

- ◆ Regular Zapper during 60 minutes
- ◆ Zapping plates:
 - Testicle: 20'
 - Epididymis: 20'

REMARKS:

- ◆ Fundamental, drink water containing no heavy metals (distilled, coming from distiller)
- ◆ Remove all dental fillings and root canal treatments. Zappicate every dental piece and rinse during 5-10 minutes, every morning, with sesame or sunflower oil.

Continued...

FEMALE INFERTILITY

Use only tested supplements containing no heavy metals (Clark)

SUPPLEMENTS:

- 1° Bowel cleanse program (with 6 capsules of curcuma and fennel with every meal), plus Oregano oil (Clark) 5 drops in an empty capsule at 2 meals + Wormwood
- 2° Ascaris deparasitation
- 3° Kidney cleanse + Weekly booster:
 - ◆ Black Walnut hull Tincture (Clark) 3 spoonfuls
 - ◆ Lugol Iodine (Clark) 6 drops 4 times a day
 - ◆ Oregano oil (Clark) 5 drops in empty capsules at 2 meals
- 4° HM detoxification program (increasing Vit. C up to 1gr. at all 3 meals)
+
Liver cleanse: make 4-5 cleanses + Weekly booster

Also to be taken:


- ◆ B Complex (Clark): 1 at breakfast
- ◆ Folic acid (Clark): 1 at dinner
- ◆ Omega 3-6-9 (Clark): 1 capsule at every meal

Continued...

FEMALE INFERTILITY (Continued)

HOMEOPATHIES (important)

- ◆ Kidney
- ◆ Take out:
- ◆ Take out heavy metals
- ◆ From kidneys
- ◆ Take out heavy metals
- ◆ from 'L' - kidneys
- ◆ Take out heavy metals from uterus
- ◆ Take out heavy metal from ovaries
- ◆ Ovaries
- ◆ Uterus



FEMALE INFERTILITY (Continued)

ZAPPER (Fundamental):

- ◆ Regular Zapper during 60 minutes
- ◆ Zapping plates:
 - Ovaries: 20'
 - Uterus: 20'
 - Cervix, endometrium, Fallopian tube and ovarian isthmus: 20'

REMARKS:

- ◆ It is essential to drink water containing no heavy metals (distilled water)
- ◆ Remove all dental fillings and root canal treatments. Zappicate every dental piece and rinse during 5-10 minutes, every morning, with sesame or sunflower oil.
- ◆ Full spectrum light on ovarian area during 15 minutes twice a day

Zappicate food before eating

ENDOMETRIOSIS AND UTERINE PAPILLOMA

SUPPLEMENTS:

- 1° Bowel cleanse program (with 6 capsules of curcuma and fennel with every meal), plus Oregano oil (Clark) 5 drops in an empty gelatin capsule at 2 meals
- 2° Ascaris deparasitation
- 3° Kidney cleanse + Weekly booster:
 - ◆ Black Walnut hull Tincture (Clark) 3 spoonfuls
 - ◆ Lugol Iodine (Clark) 6 drops 4 times a day
 - ◆ Oregano oil (Clark) 5 drops in empty gelatin capsules with 1 meal
- 4° Liver cleanse: once kidney cleanse is done, make 4-5 liver cleanses

Also to be taken:


- ◆ Vitamin C (Clark): 1 gr. at breakfast, 1 gr. at lunch y 1 gr. at dinner
- ◆ Vitamin B2 (Clark): 1 at breakfast
- ◆ B Complex (Clark): 1 at lunch
- ◆ MSM (Clark): 1 capsule 15 minutes before 2 meals
- ◆ Green tea extract (Clark): 1 at breakfast, 1 at lunch, 1 at dinner

Continued...

ENDOMETRIOSIS AND UTERINE PAPILLOMA (Continued)

HOMEOGRAPHIES (important)

- ◆ Uterus
- ◆ Kidneys
- ◆ Take out heavy metals
- ◆ from kidneys
- ◆ Take out heavy metals
kidneys- 'L'
- ◆ Take out heavy metals from uterus
- ◆ Take out heavy metals from uterus-WBC



Continued...

ENDOMETRIOSIS AND UTERINE PAPILLOMA (Continued)

ZAPPER (Fundamental)

- ◆ Regular Zapper during 60 minutes with adhesive terminals on ovaries
- ◆ Zapping plates:
 - Uterus: 20´
 - Endometrium: 20´
 - It is advisable to use at least 2-3 times a week: Uterus – Vascular set

REMARKS:

- ◆ It is important to drink water free from heavy metals and solvents
- ◆ It is important to take out all dental fillings and root canal treatments. Zappicate the gums of every tooth during 4 minutes on each side, and rinse during 5-10 minutes, every morning, with sesame or sunflower oil.
- ◆ Avoid foods containing caffeic acid (broccolis, grapefruits, limes, oranges, strawberries, tea, and dairy products)
- ◆ Zappicate food before eating
- ◆ Full spectrum light on ovarian area for 15 minutes twice a day.

POLYCYSTIC OVARY SYNDROME

SUPPLEMENTS:

- 1° Bowel cleanse program (6 capsules of curcuma and fennel at every meal) plus Oregano oil (Clark) 5 drops a day, in empty gelatin capsules with 2 meals
- 2° Ascaris deparasitation
- 3° Kidney cleanse + Weekly booster:
 - Black Walnut hull Tincture (Clark) 3 spoonfuls
 - Lugol Iodine (Clark) 6 drops 4 times a day
 - Oregano oil (Clark) 5 drops in an empty gelatin capsule with a meal
- 4°
 - ◆ Liver cleanse (once the kidney cleanse is done, continue with 4-5 liver cleanses)
 - ◆ Vitamin C (Clark): 1 gr. at breakfast, 1 gr. at lunch and 1 gr. at dinner
 - ◆ Vitamin B2 (Clark): 1 at breakfast
 - ◆ B Complex (Clark): 1 at lunch

Also to be taken:


- ◆ MSM (Clark): 1 capsule 15 minutes before 2 meals + Thiocetic acid: 1 at dinner

Continued...

POLYCYSTIC OVARY SYNDROME (Continued)

HOMEOGRAPHIES (Optional):

- ◆ Ovaries
- ◆ Kidneys, separately
- ◆ Take out heavy metals - kidneys
- ◆ Take out heavy metals
'L' - kidneys
- ◆ Take out heavy metals- ovaries
- ◆ Take out heavy metals
ovaries-WBC



Continued...

POLYCYSTIC OVARY SYNDROME (Continued)

ZAPPER (important)

- ◆ Regular Zapper during 60 minutes with adhesive terminals on ovaries
- ◆ Zapping plates:
 - Ovaries 20'
 - Blood/ ovaries 20'
 - "A" Group / ovaries 20'

REMARKS:

Avoid food containing apiol and phenylalanine(dairy products): bread, butter, dairy products, gums, soy and soy products, oils other than 1st cold pressed olive oil, fried potatoes, sardines in oil and canned tuna fish.

Zappicate food before eating

IMPORTANT: Full spectrum light on ovarian area during 15 minutes twice a day

PREMENSTRUAL SYNDROME AND MENOPAUSE SYMPTOMS

SUPPLEMENTS:

- 1 Bowel cleanse program (6 capsules of curcuma and fennel at every meal) plus Oregano oil (Clark) 5 drops a day, in empty gelatin capsules with 2 meals
- 2° Ascaris dsparasitation
- 3° Kidney cleanse + Weekly booster:
 - Black Walnut hull Tincture (Clark) 3 spoonfuls
 - Oregano oil (Clark) 5 drops in an empty gelatin capsule with a meal
 - Lugol Iodine (Clark) 6 drops 4 times a day
- 4 Liver cleanse (once the kidney cleanse is done, continue with 4-5 liver cleanses
+
Heavy Metals detoxification program increasing Vit C up to 1 gr. 3 times a day

Also to be taken:


- ◆ B Complex (Clark): 1 at lunch
- ◆ Vitamin B2 (Clark): 1 at breakfast

Continued...

PREMENSTRUAL SYNDROME AND MENOPAUSE SYMPTOMS (Continued)

HOMEOGRAPHIES (Optional):

- ◆ Ovaries
- ◆ Adrenals
- ◆ Kidneys, separately
- ◆ Take out heavy metals – kidneys
- ◆ Take out HM 'L' - kidneys
- ◆ Take out HM from uterus
- ◆ Uterus



Continued...

PREMENSTRUAL SYNDROME AND MENOPAUSE SYMPTOMS (Continued)

ZAPPER (Important):

Regular Zapper during 60 minutes with adhesive terminals on kidneys

- ◆ Zapping plates:
 - Adrenals: 20'
 - Uterus: 20'

REMARKS:

- ◆ It is important to drink water free from heavy metals and solvents
- ◆ It is important to remove all dental fillings and root canal treatments. Zappicate the gums of every tooth during 4 minutes on each side, and rinse during 5-10 minutes, every morning, with sesame or sunflower oil.
- ◆ Avoid almonds

CYSTITIS

SUPPLEMENTS:

- 1° Bowel cleanse program for at least 5 weeks (increasing up to 6 capsules of curcuma and 6 of fennel) + Oregano oil (Clark) 5 drops in empty gelatin capsules with 2 meals
- 2° Ascaris deparasitation
- 3° Kidney cleanse during 6 weeks + Weekly booster:
 - Black Walnut hull Tincture (Clark) 3 spoonfuls
 - Oregano oil (Clark) 5 drops in an empty gelatin capsule with a meal
 - Lugol Iodine (Clark) 6 drops 4 times a day
- 4° It is recommended to make various liver cleanses, once the kidney cleanse is done.

Continued...

CYSTITIS (Continued)

Also take during at least 2 months:


- ◆ B Complex (Clark): 1 at breakfast
- ◆ Thiocctic acid: (Clark) : 1 capsule at dinner
- ◆ MSM (Clark): 1 capsule 15 minutes before 2 meals
- ◆ Hydrangea (Clark): 1 with every meal
- ◆ Vitamin C (Clark): 1 gr. at breakfast, 1 gr. at lunch and 1 gr. at dinner
- ◆ Curcuma: 3 at breakfast, 3 at lunch and 3 at dinner
- ◆ Fennel: 3 at breakfast, 3 at lunch and 3 at dinner

Continued...

CYSTITIS (Continued)

HOMEOGRAPHIES (Optional):

- ◆ Kidneys, separately
- ◆ Take out:
 - HM from kidney
 - HM from 'L'- kidney
 - HM from bladder
 - HM from ureter
 - HM from urethra



Continued...

CYSTITIS (Continued)

ZAPPER: (important)

- ◆ Regular Zapper during 60 minutes
- ◆ Zapping plates:
 - Kidneys: 20' + ureter (bottles touching each other) 20'
 - Bladder, ureter and urethra (bottles touching each other): 20'
 - In case pathogens are identified, zap during 15', 2 or 3 times a day

REMARKS:

It is important not to have any fillings in mouth (to provide a less favorable field for bacteria) and eliminate root canal treatments.

KIDNEY STONES

SUPPLEMENTS:

- ◆ Kidney cleanse: from 3 to 6 weeks, plus IP 6: 10 drops before 2 meals.
- ◆ It is also recommended to take colloidal silver (3 teaspoonfuls a day) or Oregano oil (Clark) 5 drops in an empty gelatin capsule with a meal, to prevent possible bacteria infections when the stones are being dissolved, as well as curcuma and fennel: 3 capsules of each at every meal.

REMARKS:

Avoid:

- ◆ Tea
- ◆ Cocoa
- ◆ Nuts
- ◆ Spinach
- ◆ It is important to drink distilled water
- ◆ Once the stones are dissolved, always take the following supplements:
 - B Complex : 1 at breakfast
 - Magnesium: 1 at breakfast and dinner

PROSTATIC HYPERTROPHY

SUPPLEMENTS:


- 1° Bowel cleanse program (with 6 capsules of curcuma and fennel at every meal) plus Oregano oil (Clark): 5 drops in an empty gelatin capsule with 2 meals
- 2° Ascaris deparasitation
- 3° Kidney cleanse + Weekly booster:
 - ◆ Black Walnut hull Tincture (Clark) 3 spoonfuls
 - ◆ Lugol Iodine (Clark) 6 drops 4 times a day
 - ◆ Oregano oil (Clark) 5 drops in empty gelatin capsules with 2 meals
- 4° Heavy metals detoxification program + Liver cleanse (make 4 or 5)
 - +
 - ◆ Curcuma (Clark): 3 at breakfast, 3 at lunch and 3 at dinner
 - ◆ Green tea extract (Clark): 1 at breakfast, 1 at lunch and 1 at dinner
 - ◆ Saw Palmetto (Clark): 1 capsule at each meal

Continued...

PROSTATIC HYPERTROPHY (Continued)

HOMEOGRAPHIES (important)

- ◆ Prostate
- ◆ Kidney
- ◆ Take out:
 - HM from kidney
 - HM from “L” kidney
 - HM from prostate
 - Nickel from prostate



Continued...

PROSTATIC HYPERTROPHY (Continued)

ZAPPER (important)

- ◆ Regular Zapper during 60 minutes
- ◆ Zapping plates:
 - Prostate: 20'
 - If possible, Prostate – Vascular set

REMARKS:

- ◆ It is important to eliminate metals in mouth
- ◆ Rinse 5-10 minutes a day with sesame or sunflower oil
- ◆ Drink only water free from heavy metals
- ◆ Avoid eating with metal cutlery, avoid contact of metals on the skin
- ◆ Avoid vinegar, oranges and tangerines.

ADDITIONAL INFORMATION

BOOK OF INTEREST

**For any questions about
Clark Therapy, contact
us in:**

info@clarktherapyon-line.com

